

Maxxum Universal Panel System

- MIS Color-Code System
- Expanded Module Selection
- Dual-D and Single-D Width Modules
- Available 3" (75mm) & 6" (150mm) Strain Relief Cable Bars
- Available in 1, 1.5, 2, and 3RU
- Tapped Mounting Holes (4-40)

Allow ultra flexibility in design, reconfiguration & maintenance. Screws available separately. Maxxum Module Kits are supplied with screws and black Maxxum Identification System (MIS) color-coding caps. 13 colors available separately.



- Fiber Optic
- Media & Coax
- Data & Network
- Audio & Misc.
- XLR Series



Maxxum Dual-D 1RU, 16 Position, WKM-UD116E1-Z Series

Numbered at the back of the Panel
Side Views 6" [150mm] Cable Bar
Super rigid extra deep flange

3" [75mm] Cable Bar
No Cable Bar

WKM-UD Series accepts Dual-D & Single-D width modules

Maxxum Single-D 1RU, 16 Position, WKM-US116E1-Z Series

Rigid extra deep flange
Side Views 6" [150mm] Cable Bar
Super rigid extra deep flange

3" [75mm] Cable Bar
No Cable Bar

WKM-US Series accepts Single-D width modules ONLY

Maxxum Single-D 1RU, 12 Position, WKM-US112E1-Z Series

Numbered at the back of the Panel
Side Views 6" [150mm] Cable Bar
Super rigid extra deep flange

3" [75mm] Cable Bar
No Cable Bar

WKM-US Series accepts Single-D width modules ONLY

More photos, drawings & specifications are available at www.AVPbroadcast.com

Ordering Information - 16 Position Universal, Maxxum Series Bulkhead Panels

Model	Description
Metal Universal Panel - Heavy-Duty, Numbered at Rear; no Connectors, no Adaptor Plates, no Cover Plates <i>Accepts Single-D & Dual-D Width Modules</i>	
WKM-UD116E1-Z-B80	1RU, 1x16 Metal Universal Panel, Panel & 3" [75mm] Cable Bar, No Connectors
WKM-UD116E1-Z-B81	1RU, 1x16 Metal Universal Panel, Panel & 6" [150mm] Cable Bar, No Connectors
WKM-UD116E1-Z-BZ	1RU, 1x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-UD116E15-Z-B80	1.5RU, 1x16 Metal Universal Panel, Panel & 3" [75mm] Cable Bar, No Connectors
WKM-UD116E15-Z-B81	1.5RU, 1x16 Metal Universal Panel, Panel & 6" [150mm] Cable Bar, No Connectors
WKM-UD116E15-Z-BZ	1.5RU, 1x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-UD216E2-Z-B80	2RU, 2x16 Metal Universal Panel, Panel & 2, 3" [75mm] Cable Bars, No Connectors
WKM-UD216E2-Z-B81	2RU, 2x16 Metal Universal Panel, Panel & 2, 6" [150mm] Cable Bars, No Connectors
WKM-UD216E2-Z-BZ	2RU, 2x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-UD216E3-Z-B80	3RU, 2x16 Metal Universal Panel, Panel & 2, 3" [75mm] Cable Bars, No Connectors
WKM-UD216E3-Z-B81	3RU, 2x16 Metal Universal Panel, Panel & 2, 6" [150mm] Cable Bars, No Connectors
WKM-UD216E3-Z-BZ	3RU, 2x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors


Ordering Information - 16 Position Universal, Maxxum Series Bulkhead Panels

Model	Description
Metal Universal Panel - Heavy-Duty; no Connectors, no Adaptor Plates, no Cover Plates <i>Maxxum Universal Single-D Panels</i>	
WKM-US116E1-Z-B80	1RU, 1x16 Metal Universal Panel, Panel & 3" [75mm] Cable Bar, No Connectors
WKM-US116E1-Z-B81	1RU, 1x16 Metal Universal Panel, Panel & 6" [150mm] Cable Bar, No Connectors
WKM-US116E1-Z-BZ	1RU, 1x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-US116E15-Z-B80	1.5RU, 1x16 Metal Universal Panel, Panel & 3" [75mm] Cable Bar, No Connectors
WKM-US116E15-Z-B81	1.5RU, 1x16 Metal Universal Panel, Panel & 6" [150mm] Cable Bar, No Connectors
WKM-US116E15-Z-BZ	1.5RU, 1x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-US216E2-Z-B80	2RU, 2x16 Metal Universal Panel, Panel & 2, 3" [75mm] Cable Bars, No Connectors
WKM-US216E2-Z-B81	2RU, 2x16 Metal Universal Panel, Panel & 2, 6" [150mm] Cable Bars, No Connectors
WKM-US216E2-Z-BZ	2RU, 2x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-US216E3-Z-B80	3RU, 2x16 Metal Universal Panel, Panel & 2, 3" [75mm] Cable Bars, No Connectors
WKM-US216E3-Z-B81	3RU, 2x16 Metal Universal Panel, Panel & 2, 6" [150mm] Cable Bars, No Connectors
WKM-US216E3-Z-BZ	3RU, 2x16 Metal Universal Panel, Panel only, No Cable Bar, No Connectors


Ordering Information - 12 Position Universal, Maxxum Series Bulkhead Panels

Model	Description
Metal Universal Panel - Heavy-Duty; no Connectors, no Adaptor Plates, no Cover Plates <i>Maxxum Universal Single-D Panels</i>	
WKM-US112E1-Z-B80	1RU, 1x12 Metal Universal Panel, Panel & 3" [75mm] Cable Bar, No Connectors
WKM-US112E1-Z-B81	1RU, 1x12 Metal Universal Panel, Panel & 6" [150mm] Cable Bar, No Connectors
WKM-US112E1-Z-BZ	1RU, 1x12 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-US112E15-Z-B80	1.5RU, 1x12 Metal Universal Panel, Panel & 3" [75mm] Cable Bar, No Connectors
WKM-US112E15-Z-B81	1.5RU, 1x12 Metal Universal Panel, Panel & 6" [150mm] Cable Bar, No Connectors
WKM-US112E15-Z-BZ	1.5RU, 1x12 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-US212E2-Z-B80	2RU, 2x12 Metal Universal Panel, Panel & 2, 3" [75mm] Cable Bars, No Connectors
WKM-US212E2-Z-B81	2RU, 2x12 Metal Universal Panel, Panel & 2, 6" [150mm] Cable Bars, No Connectors
WKM-US212E2-Z-BZ	2RU, 2x12 Metal Universal Panel, Panel only, No Cable Bar, No Connectors
WKM-US212E3-Z-B80	3RU, 2x12 Metal Universal Panel, Panel & 2, 3" [75mm] Cable Bars, No Connectors
WKM-US212E3-Z-B81	3RU, 2x12 Metal Universal Panel, Panel & 2, 6" [150mm] Cable Bars, No Connectors
WKM-US212E3-Z-BZ	3RU, 2x12 Metal Universal Panel, Panel only, No Cable Bar, No Connectors


WKM-UD Series - 16 Position accepts Single-D and Dual-D width modules



WKM-US Series - 16 Position does not accept Dual-D width modules



WKM-US Series - 12 Position does not accept Dual-D width modules




Ordering Information

Ordering Information Maxxum Color-Code Caps

MIS - [] - []

Number of Color-Code Caps
30 Package of 30
60 Package of 60
100 Package of 100

Cap Color	
● BLACK	● GREEN
● BROWN	● BLUE
● RED	● PURPLE
● ORANGE	● GRAY
● YELLOW	● WHITE
● BEIGE	● MAGENTA
● AQUA	● MULTI of each color



Maxxum Module Kits are supplied with 4-40 screws and black Maxxum Identification System (MIS) color-coding caps. 13 colors are available, order separately.

Maxxum Panels ship with a Jackfield Identification System (JIS) Kit

Universal, Maxxum Series Bulkhead Panels

Model	Description
<i>Options:</i>	<i>*2RU & 3RU panels include 2 Cable Bars. Order extra Cable Bars below.</i>
CB-80	3" [75mm] Cable Bar, includes Mounting Screws
CB-81	6" [150mm] Cable Bar, includes Mounting Screws
AT-440BK250-100	Module Kit mounting screws, 4-40 x 1/4 Phillips, stainless steel, black, package of 100
AT-440SS250-100	Module Kit mounting screws, 4-40 x 1/4 Phillips, stainless steel, clear, package of 100
BUILD2	2RU or 3RU Assembly of connectors to panel
BUILD1	1RU or 1.5RU Assembly of connectors to panel


Universal Bulkhead Panel System 30° Maxxum Series



WKM3-U116E1-Z-B36
30°, 1RU 1x16,
Dual-D panel,
with 3" [75mm]
cable bar, empty

Photo shown with optional
Connector Mounting Kits

- 30° 1RU only
- Will accept up to 8 Dual-D or, 16 Single-D Width Modules
- 3" (75mm) or 6" (150mm) Strain Relief Cable Bars
- MIS Color-Code System
- Expanded Module Selection
- Tapped Mounting Holes (4-40)
Allow ultra flexibility in design, reconfiguration & maintenance. Screws available separately. Maxxum Module Kits are supplied with screws and black Maxxum Identification System (MIS) color-coding caps. 13 colors available separately.





Maxxum Dual-D 30° 1RU, 16 Position, WKM3-UD116E1-Z Series

WKM3-UD Series
accepts Dual-D
& Single-D
width modules



**Fiber Optic • Media & Coax • Data & Network
Audio & Misc. • XLR Series**







Ordering Information - Universal, 30 Degree Maxxum Series Bulkhead Panel	
Model	Description
WKM3-U116E1-Z-B36	30 Degree, 1RU 1x16, Dual-D panel with 3" [75mm] cable bar, empty
WKM3-U116E1-Z-B37	30 Degree, 1RU 1x16, Dual-D panel with 6" [150mm] cable bar, empty
<i>Options:</i>	
AT-440BK250-100	Module Kit mounting screws, 4-40 x 1/4 Phillips, stainless steel, black, package of 100
AT-440SS250-100	Module Kit mounting screws, 4-40 x 1/4 Phillips, stainless steel, clear, package of 100
BUILD1	1RU Assembly of connectors to panel


Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS** Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Fiber Optics	
	
FIBER OPTIC ST	
UMF-MMS-ST #907178	ST MM SX OM1/2/3/4 Metal Adapter, Zirconia Sleeve, Black, Beige, Aqua & Magenta MIS
UMF-MMS-ST-DC #907179	ST MM SX OM1/2/3/4 Metal Adapter, Zirconia Sleeve, 1 Dust Cap & Chain. Black, Beige, Aqua & Magenta MIS included
UMF-SMS-ST #907180	ST SM SX Metal Adapter, Zirconia Sleeve, Black, Blue & Green MIS included
UMF-SMS-ST-DC #907181	ST SM SX Metal Adapter, Zirconia Sleeve, 1 Dust Cap & Chain. Black, Blue & Green MIS
UMF-MMD-ST #907182	ST MM DX OM1/2/3/4 Metal Adapter, Zirconia Sleeves, Black, Beige, Aqua & Magenta MIS
UMF-MMD-ST-DC #907183	ST MM DX OM1/2/3/4 Metal Adapter, Zirconia Sleeves, 2 Dust Caps & Chains. Black, Beige, Aqua & Magenta MIS included
UMF-SMD-ST #907184	ST SM DX Metal Adapter, Zirconia Sleeves, Black, Blue & Green MIS included
UMF-SMD-ST-DC #907185	ST SM DX Metal Adapter, Zirconia Sleeves, 2 Dust Caps & Chains. Black, Blue & Green MIS included
DC-ST #908215	ST Metal Dust Cap & Chain 
FIBER OPTIC ST - Recessed	
UMF-MMS-STR #908474	ST MM SX OM1/2/3/4 Metal Adapter, Recessed, Zirconia SI, Black, Beige, Aqua & Magenta MIS
UMF-MMS-STR-DC #908475	ST MM SX OM1/2/3/4 Metal Adapter, Recessed, Zirconia Sleeve, 1 Dust Cap & Chain. Black, Beige, Aqua & Magenta MIS included
UMF-SMS-STR #908476	ST SM SX Metal Adapter, Recessed, Zirconia Sleeve, Black, Blue & Green MIS included
UMF-SMS-STR-DC #908477	ST SM SX Metal Adapter, Recessed, Zirconia SI, 1 Dust Cap & Chain. Black, Blue & Green MIS
MM=Multimode SM=Singlemode SX=Simplex DX=Duplex	
Contact AVP if your required connector is not shown	




Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Fiber Optics	
	
FIBER OPTIC LC	
UMF-MMS-LC-BG #907195	LC MM SX OM1/2 Beige Adapter, Phosphor Bronze Sleeve, Black & Beige MIS included
UMF-MMS-LC-AQ #908480	LC MM SX 10G OM3/4 Aqua Adpt, Phosphor Bronze Sleeve, Black & Aqua MIS included
UMF-MMS-LC-MG #908481	LC MM SX 10G OM4 Magenta Adpt, Phosphor Bronze Sleeve, Black & Magenta MIS included
UMF-SMS-LC-BL #908482	LC SM SX Blue Adapter, Zirconia Sleeve, Black & Blue MIS included
UMF-SMS-LC-GN #907197	LC/APC SM SX Green Adapter, Zirconia Sleeve, Black & Green MIS included
UMF-MMD-LC-BG* #907198	LC MM DX OM1/2 Beige Adapter, Zirconia Sleeve, SC Footprint, Black & Beige MIS incl.
UMF-MMD-LC-AQ* #907199	LC MM DX 10G OM3/4 Aqua Adapter, Zirconia Sleeve, SC Footprint, Black & Aqua MIS incl.
UMF-MMD-LC-MG* #908483	LC MM DX 10G OM4 Magenta Adpt, Zirconia Sleeve, SC Footprint, Black & Magenta MIS
UMF-SMD-LC-BL* #907200	LC SM DX Blue Adapter, Zirconia Sleeve, SC Footprint, Black & Blue MIS included
UMF-SMD-LC-GN* #907201	LC/APC SM DX Green Adpt, Zirconia Sleeve, SC Footprint, Black & Green MIS included
 -SH	*Add -SH to model name for Duplex LC Shutter
FIBER OPTIC SC	
UMF-MMS-SC-BG #907186	SC MM SX OM1/2 Beige Adapter, Polymer Housing, Zirconia Sleeve, Black & Beige MIS
UMF-MMS-SC-AQ #907187	SC MM SX 10G OM3,4 Aqua Adpt, Polymer Housing, Zirconia Sleeve, Black & Aqua MIS
UMF-MMS-SC-MG #908478	SC MM SX 10G OM4 Magenta Adpt, Polymer Housing, Zirconia SI, Black & Magenta MIS
UMF-SMS-SC-BL #907190	SC SM SX Blue Adapter, Polymer Housing, Zirconia Sleeve, Black & Blue MIS included
UMF-SMS-SC-GN #907193	SC/APC SM SX Green Adpt, Polymer Housing, Zirconia Sleeve, Black & Green MIS
UMF-MMD-SC-BG #907188 *2 Spaces	SC MM DX OM1/2 Beige Adapter, Polymer Housing, Black & Beige MIS included
UMF-MMD-SC-AQ #907189 *Dual D	SC MM DX 10G OM3/4 Aqua Adpt, Polymer Housing, Black & Aqua MIS included
UMF-MMD-SC-MG #908479 *Dual D	SC MM DX 10G OM4 Magenta Adpt, Polymer Housing, Black & Magenta MIS included
UMF-SMD-SC-BL #907191 *Dual D	SC SM DX Blue Adapter, Polymer Housing, Zirconia Sleeve, Black & Blue MIS included
UMF-SMD-SC-GN #907194 *Dual D	SC/APC SM DX Green Adapter, Polymer Housing, Zirconia Sleeve, Black & Green MIS
 -SH	Add -SH to model name for Simplex SC Shutter
 -SH	Add -SH to model name for Duplex SC Shutter
*Dual D, requires 2 panel spaces	
Contact AVP if your required connector is not shown	


Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Fiber Optics	
	
opticalCON DUO	
UMNO2-4FDW-A #907378	opticalCON Chassis connector with black chromium plating, 4 solder contacts and 1 LC-Duplex feedthru socket
UMNO2-4FDW-1-A #907219	opticalCON 1 LC-Duplex feedthru socket, 1 shell ground contact (for SMPTE cable shield)
opticalCON QUAD	
UMNO4FDW-A #907379	opticalCON Chassis connector, black chromium plating **MIS screws and color indicators do not work with opticalCON modules
MTP/MPO	
UMF-MTP-2BK #908422	Adapter, US Conec, opposed key, black, includes 2 dust plugs, 1 chain at front
Media & Coax	
	
FIREWIRE	
UMFW-4 #907261	Firewire 4 pin Feedthru, female-female, IEEE1394
UMNA1394-6-W #907262	Firewire 6 IEEE 1394 6-pole receptacles on both ends, nickel chassis
UMNA1394-6-W-B #907380	Firewire 6 IEEE 1394 6-pole receptacles on both ends, black chassis
USB	
UMSB-A #907303	USB 2, Type A to A, Feedthru, female-female, black chassis
UMSB-B #907305	USB 2, Type B to B, Feedthru, female-female, black chassis
UMNAUSB-W #907381	Reversible USB 2 gender changer (A to B, B to A), nickel chassis
UMNAUSB-W-B #907304	Reversible USB 2 gender changer (A to B, B to A), black chassis
UMSB3-A #907446	USB 3, Type A to A, Feedthru, female-female, black chassis
UMNAUSB3 #908484	Reversible USB 3 gender changer (A to B, B to A), nickel chassis
UMNAUSB3-B #908485	Reversible USB 3 gender changer (A to B, B to A), black chassis
UMSB-C #909337	USB C to USB C, female to male feedthru, black chassis
Contact AVP if your required connector is not shown	




Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Media & Coax	
	
DVI - Display Port	
UMDVI-FF #907204	DVI female to female feedthru, 24+5, black/gold, <i>Dual D, requires 2 spaces</i>
UMDP-FF #908465	Display Port, female to female feedthru, adapter, <i>Dual D, requires 2 spaces</i>
	
BNC	
UMJJ300 #907221	BNC Feedthru, 24 GHz, AVP JJ300, 75 ohm, non-recessed, F-F, black plate, premium 5u gold plating
UMJJ300R #907267	BNC Feedthru, 24 GHz, AVP JJ300, 75 ohm, semi-recessed, F-F, black chassis, premium 5u gold plating
UMJJ200 #908187	BNC Feedthru, 12 GHz, AVP JJ200, 75 ohm, non-recessed, F-F, black plate, standard gold flash
UMJJ200R #908188	BNC Feedthru, 12 GHz, AVP JJ200, 75 ohm, semi-recessed, F-F, black chassis, standard gold flash
UMBNC50-F #907250	BNC Coaxial Feedthru, 50 ohm, female-female
UMBNC50-FR #907539	BNC Coaxial Feedthru, 50 ohm, Semi-Recessed, female-female
	
F - TNC - SMA - N	
UMHF310 #907222	F Style Feedthru
UMTNC-F #907310	TNC coaxial adapter, Feedthru, female-female, 50 Ohm
UMSMA #907306	SMA Feedthru
UMNN320 #907279	N Style Feedthru, 50 Ohm
	
HDMI	
UMHDMI-DF #907266	HDMI 2.0 feedthru adapter, nickel chassis
UMNAHDMI-W-B #907272	HDMI 2.0 feedthru adapter, black chassis (req. Neutrik HDMI 2.0 cable, no longer than 5M)
*Dual D, requires 2 panel spaces	
Contact AVP if your required connector is not shown	

More photos, drawings & specifications are available at www.AVPbroadcast.com



Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Media & Coax 	
UHD/8K Video	
UME8K #908181	UHD 4K/8K dual jack module, 12Gb/s Signal/Data Serial Interface meets & exceeds SMPTE ST2082-1:2015 <i>Dual D, requires 2 spaces</i>
	
DIN 1.0/2.3 Feedthru - DIN C091A Series	
UMD12-D12 #908190	DIN 1.0/2.3 Feedthru, 3GHz, 75 Ohm, AVP DD12, non-recessed, F-F, black plate
UMC091A #908605	Circular DIN, C091A series, 8 Pin female, nickel housing, silver contacts, solder termination
	
Phone Jacks, rear solder terminals	
UMN3FP6C #907390	1/4" Stereo/Mono Locking phone jack, D-size shell, nickel metal housing, silver contacts
UMN3FP6C-B #907391	1/4" Stereo/Mono Locking phone jack, D-size shell, black metal housing, gold contacts
UMN3FP6C-BAG #907307	1/4" Stereo/Mono Locking phone jack, D-size shell, black metal housing, silver contacts
UMS35J #907302	3.5mm Stereo Phone Jack
UM35J4G-F #908072	3.5mm TRRS 4 Conductor Stereo Phone Jack, feed-thru, with isolated ground
	
RCA to RCA Feedthru	
UMRCA-R #907297	RCA Feedthru, red. MIS red cap included
UMRCA-W #907298	RCA Feedthru, white. MIS white cap included
UMRCA-Y #907299	RCA Feedthru, yellow. MIS yellow cap included
UMRCA-B #907321	RCA Feedthru, blue. MIS blue cap included
UMRCA-G #907320	RCA Feedthru, green. MIS green cap included
UMRCA-O #907542	RCA Feedthru, orange. MIS orange cap included
UMRCA-K #907543	RCA Feedthru, black. MIS black cap included
Contact AVP if your required connector is not shown	


Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Data & Network 	
Ethernet	
UM2RJ45-6AFS #907213	*Cat6A, RJ45, Feedthru, female to female, Shielded
UM2RJ45-6FS #907214	**Cat6, RJ45, Feedthru, female to female, Shielded
UM2RJ45-6AS #907215	*Cat6A, Shielded, RJ45, Tool-less or 110/Krone Punchdown, 23-26AWG, stranded or solid, h/w
UM2RJ45-6S #907216	**Cat6, Shielded, RJ45, Tool-less or 110/Krone Punchdown, 23-26AWG, stranded or solid, h/w * For Cat3 to Cat6A shielded/unshielded applications ** For Cat3 to Cat6 shielded/unshielded applications
	
Neutrik EtherCon	
UMNE8FDY-C6 #907387	Cat6, Panel Connector, IDC, Tool-less, nickel chassis
UMNE8FDY-C6-B #907274	Cat6, Panel Connector, IDC, Tool-less, black chassis
UMNE8FDX-Y6 #908590	CAT6A Panel Connector, shielded, IDC termination, nickel chassis
UMNE8FDX-Y6-B #908591	CAT6A Panel Connector, shielded, IDC termination, black chassis
UMNE8FDX-P6 #908180	CAT6A Panel Connector, shielded, feedthru, nickel chassis
UMNE8FDX-P6-B #907990	CAT6A Panel Connector, shielded, feedthru, black chassis
	
RJ11 (RJ12) Feedthru	
UMRJ11-F #907218	RJ11 (RJ12) 6 pos/6 con, Feedthru, female-female
RJ11 (RJ12) IDC Tool-less	
UMRJ11 #907217	RJ11 (RJ12) 6 Pos/ 6 Conductor, IDC interface, Toolless
*Dual D, requires 2 panel spaces	

Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Data & Network 	
D Sub9 & HD15	
UMD9-FF #907205	9-pin D-Sub Female to Female Feedthru
UMD9-MM #907206	9-pin D-Sub Male to Male Feedthru
UMD9-MF #907207	9-pin D-Sub Male to Female Feedthru
UMD9-FM #907208	9-pin D-Sub Female to Male Feedthru
UMHD15-FF #907209	High Density 15-pin D-Sub Female to Female Feedthru
UMHD15-MM #907210	High Density 15-pin D-Sub Male to Male Feedthru
UMHD15-MF #907211	High Density 15-pin D-Sub Male to Female Feedthru
UMHD15-FM #907212	High Density 15-pin D-Sub Female to Male Feedthru
UMD25-FF #908182	25-pin D-Sub Female to Female Feedthru <i>*Requires 2 panel spaces</i>
UMD25-MM #908183	25-pin D-Sub Male to Male Feedthru <i>*Requires 2 panel spaces</i>
UMD25-MF #908184	25-pin D-Sub Male to Female Feedthru <i>*Requires 2 panel spaces</i>
UMD25-FM #908185	25-pin D-Sub Female to Male Feedthru <i>*Requires 2 panel spaces</i>
UMD25-SCF #908186	25-pin D-Sub Female, Solder cup contacts are pre-loaded in connector <i>*Requires 2 panel spaces</i>
UMD9-CF #907253	9-pin D-Sub Female, socket contacts - crimp
UMD9-CM #907254	9-pin D-Sub Male, pin contacts - crimp
UMD9-SCF #907255	9-pin D-Sub Female, solder-cup contacts are pre-loaded into connector
UMD9-SCM #907256	9-pin D-Sub Male, solder-cup contacts are pre-loaded into connector
UMD9-SF #907257	9-pin D-Sub Female, solder-cup contacts are loose, not pre-loaded into connector
UMD9-SM #907258	9-pin D-Sub Male, solder-cup contacts are loose, not pre-loaded into connector
UMHD15-CF #907263	High Density 15-pin D-Sub Female, socket contacts - crimp
UMHD15-CM #907264	High Density 15-pin D-Sub Male, pin contacts - crimp
UMHD15-SCF #907265	High Density 15-pin D-Sub Female, solder-cup contacts are pre-loaded into connector
UMHD15-SCM #907081	High Density 15-pin D-Sub Male, solder-cup contacts are pre-loaded into connector
UMHD15-SF #907265	High Density 15-pin D-Sub Female, solder-cup contacts are loose, not pre-loaded into connector
UMHD15-SM #907081	High Density 15-pin D-Sub Male, solder-cup contacts are loose, not pre-loaded into connector
Contact AVP if your required connector is not shown	


Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Audio & Miscellaneous 	
SpeakON Chassis Connectors	
UMNL2MP #907275	2 pole chassis connector, black D-size flange. <i>Does not intermate with the 4-pole cableconnector</i>
UMNL4MP #907276	4 pole chassis connector, black D-size flange, silver contacts
UMNL4MP-UC #907278	4 pole, 40A RMS, 50A audio signal, black D-size flange, MIS & hardware
	
Midi and Toslink	
UMMIDI #907270	MIDI Isolated Connector, solder type
UMMIDI-F #907970	MIDI Connector, 5 Pin, Feedthru, female-female
UMTOS #907311	Toslink optical audio coupler, Feedthru
UMDSD-60SN #907795	6 Position Circular DIN Connector Receptacle, Female Sockets, Solder type
	
EDAC 3 PIN	
UME3R-C #907259	3 Pin EDAC Receptacle with crimp pins
UME3R-S #907260	3 Pin EDAC Receptacle with solder pins
*Dual D, requires 2 panel spaces	

More photos, drawings & specifications are available at www.AVPbroadcast.com

Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Audio & Miscellaneous	
	
Maxxum Modules - Miscellaneous	
UMCP #907068	Blank Cover Plate, black, covers one position
UMB2-M #907242	Banana Jacks (2), adapter plate
UMB3-M #907243	Banana Jack Triad (3), adapter plate
UMB1-S #907251	Binding Post Single (1), adapter plate
UMB2-S #907252	Binding Post Double (2), adapter plate
UMB1-HD #907251	Single 5-Way Binding Post, up to 4.5mm/10 gage cable, gold plated copper, solder termination
UMMD66FF #907268	PS/2 Keyboard/mini-DIN, Feedthru, female-female, adaptor plate
UMMD66FFR #907544	PS/2 Keyboard/mini-DIN, Feedthru, semi-recessed, female-female, adaptor plate
UMMTS-L #907271	Miniature Toggle Switch, DPDT, Locking Handle, 3Amps 250VAC, solder lugs
UMMRS #908074	Miniature Rocker Switch, DPDT, 6A 125V, circuit: on/none/on, solder lugs
UMMRSM #909220	Miniature Rocker Switch, DPDT, 6A 125V, circuit: on/none/momentary on, solder lugs
	
XLR Series	
XLR Adapters	
UMNA3FDM #907282	XLR female-male Feedthru adapter for panel mount
UMNA3MDF #907283	XLR male-female Feedthru adapter for panel mount
<p>Contact AVP if your required connector is not shown</p>	

Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
Audio & Miscellaneous	
Maxxum Indicator System (MIS) Color-Code Caps	
MIS-30-Color #	Replace "color" with; Black, Brown, Purple, Orange, Red, Yellow, Green, Blue, Beige, Gray, Aqua, Magenta or White
MIS-60-Color #	Replace "color" with; Black, Brown, Purple, Orange, Red, Yellow, Green, Blue, Beige, Gray, Aqua, Magenta or White
MIS-100-Color #980562	Replace "color" with; Black, Brown, Purple, Orange, Red, Yellow, Green, Blue, Beige, Gray, Aqua, Magenta or White
MIS-30-MULTI #907545	30 each of 13 colors, 390 caps total
MIS-60-MULTI #907546	60 each of 13 colors, 780 caps total
MIS-100-MULTI #907547	100 each of 13 colors. 1300 caps total
	
XLR Series	
XLR Adapters	
<p>*Dual D, requires 2 panel spaces</p>	

Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
XLR Series	
	
XLR BLACK/GOLD DL Series	
UMNC3FD-L-B-1 #907101	3 pole female receptacle, solder cups, black metal housing, gold contacts
UMNC3MD-L-B-1 #907102	3 pole male receptacle, solder cups, black metal housing, gold contacts
UMNC4FD-L-B-1 #907284	4 pole female receptacle, solder cups, black metal housing, gold contacts
UMNC4MD-L-B-1 #907285	4 pole male receptacle, solder cups, black metal housing, gold contacts
UMNC5FD-L-B-1 #907285	5 pole female receptacle, solder cups, black metal housing, gold contacts
UMNC5MD-L-B-1 #907294	5 pole male receptacle, solder cups, black metal housing, gold contacts
UMNC6FD-L-B-1 #907287	6 pole female receptacle, solder cups, black metal housing, gold contacts
UMNC6MD-L-B-1 #907295	6 pole male receptacle, solder cups, black metal housing, gold contacts
UMNC7FD-L-B-1 #907289	7 pole female receptacle, solder cups, black metal housing, gold contacts
UMNC7MD-L-B-1 #907296	7 pole male receptacle, solder cups, black metal housing, gold contacts
XLR BLACK/GOLD DLX Series	
UMNC3FD-LX-B #907392	3 pole female receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC3MD-LX-B #907393	3 pole male receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC4FD-LX-B #907394	4 pole female receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC4MD-LX-B #907395	4 pole male receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC5FD-LX-B #907396	5 pole female receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC5MD-LX-B #907397	5 pole male receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC6FD-LX-B #907398	6 pole female receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC6MD-LX-B #907399	6 pole male receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC7FD-LX-B #907400	7 pole female receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
UMNC7MD-LX-B #907401	7 pole male receptacle, solder cups, black metal housing, gold contacts, duplex ground contact
<p>Contact AVP if your required connector is not shown</p>	

Ordering Information	
Model	Description
Each Maxxum Module INCLUDES MIS Color Cap and Mounting Hardware All Modules are Single D, except as noted	
XLR Series	
	
XLR NICKEL/SILVER DL Series	
UMNC3FD-L-1 #907281	3 pole female receptacle, solder cups, nickel housing, silver contacts
UMNC3MD-L-1 #907292	3 pole male receptacle, solder cups, nickel housing, silver contacts
UMNC4FD-L-1 #907402	4 pole female receptacle, solder cups, nickel housing, silver contacts
UMNC4MD-L-1 #907403	4 pole male receptacle, solder cups, nickel housing, silver contacts
UMNC5FD-L-1 #907286	5 pole female receptacle, solder cups, nickel housing, silver contacts
UMNC5MD-L-1 #907404	5 pole male receptacle, solder cups, nickel housing, silver contacts
UMNC6FD-L-1 #907405	6 pole female receptacle, solder cups, nickel housing, silver contacts
UMNC6MD-L-1 #907406	6 pole male receptacle, solder cups, nickel housing, silver contacts
UMNC7FD-L-1 #907290	7 pole female receptacle, solder cups, nickel housing, silver contacts
UMNC7MD-L-1 #907407	7 pole male receptacle, solder cups, nickel housing, silver contacts
XLR NICKEL/SILVER DLX Series	
UMNC3FD-LX #907408	3 pole female receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC3MD-LX #907409	3 pole male receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC4FD-LX #907410	4 pole female receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC4MD-LX #907411	4 pole male receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC5FD-LX #907412	5 pole female receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC5MD-LX #907413	5 pole male receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC6FD-LX #907414	6 pole female receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC6MD-LX #907415	6 pole male receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC7FD-LX #907416	7 pole female receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
UMNC7MD-LX #907417	7 pole male receptacle, solder cups, nickel housing, silver contacts, duplex ground contact
<p>*Dual D, requires 2 panel spaces</p>	

More photos, drawings & specifications are available at www.AVPbroadcast.com